


PRODUCT DESCRIPTION

- Multiple mounting methods
- Three types of dedicated covers
- Can be connected into linear straight or broken runs
Ability to create a line of light





Fill empty fields

Product nr.	
Fixture type	
Company	
Job name	
Date	


TECHNICAL SPECIFICATION

B5556ANODA_1	Silver anodized	1000 mm
B5556ANODA_2	Silver anodized	2000 mm
B5556ANODA_3	Silver anodized	3000 mm


**RELATED PROFILES**



Ref: C0399NA




Ref: B5555V1NA




Ref: B6638V1NA

RELATED PRODUCTS

COVERS




Ref: 17006




Ref: 00415

120°



Ref: 17008




Ref: 17042

100°




Ref: 17032V1


110°



Ref: 17022



Ref: 17007



Ref: 00413



Ref: 17011

100°



END CAPS



Ref: 24035



Ref: 24036



Ref: 24007



Ref: 24029



Ref: 24030



Ref: 24131


ACCESSORIES



Ref: 42512




Ref: 42051




Ref: 42717




Ref: 00644




Ref: 42750



Ref: 42719




Ref: 42749




Ref: 42116




Ref: 42748



Ref: 42115




Ref: 42720




Ref: 42102




Ref: 42718




Ref: 42746




Ref: 00293V1



Ref: 42114




Ref: 42716



Ref: 42747




Ref: 24143



Ref: 42728




Ref: 42214




Ref: 42744



Ref: 00649




Ref: 42113




Ref: 42101



Ref: 42215




Ref: 42743




Ref: 42200




Ref: 42213



Ref: 42745




Ref: 42742



Ref: 42201




Ref: 00651



Ref: 42741




Ref: 24271




Ref: 42202




Ref: 42209




Ref: 42740



Ref: 24235




Ref: 1397



Ref: 42203



Ref: 42256




Ref: 42204



Ref: 24003




Ref: 42205



Ref: 42712



Ref: 42250



Ref: 42501



Ref: 42518

MARKETING MATERIALS



Ref: 90080M



Ref: 90120M



Ref: 90097



Ref: 90113M




Ref: 90052


COUPLERS - connection methods for profiles




L135



L135PW




L135PZ




L90



L90PW




L90PZ




T135L




T135R



T90



X135



X90