

PRODUCT DESCRIPTION

- Possible obtaining a circular cross-section of the lighting fixture (together with the LUK cover)
- Smooth walls ensure modern aesthetics
- Possible systemic suspension of the profile (KLUŚ accessories).




Fill empty fields

Product nr.	
Fixture type	
Company	
Job name	
Date	

TECHNICAL SPECIFICATION

B8505ANODA_1	Silver anodized	1000 mm
B8505ANODA_2	Silver anodized	2000 mm
B8505ANODA_3	Silver anodized	3000 mm




RELATED PRODUCTS


COVERS




Ref: 17036



Ref: 17035




Ref: 1370




Ref: 17122




Ref: 1369



Ref: 17121



Ref: 17037



Ref: 17076


END CAPS



Ref: 42620



Ref: 24212



Ref: 42619



Ref: 24203




Ref: 24204

ACCESSORIES




Ref: 42717



Ref: 42512




Ref: 00648




Ref: 42719




Ref: 42720



Ref: 00036




Ref: 42718




Ref: 42716




Ref: 00035



Ref: 42728



Ref: 00655




Ref: 1397




Ref: 42256




Ref: 42250



Ref: 42501



Ref: 42518



Ref: 1528

MARKETING MATERIALS




Ref: 90106M


COUPLERS - connection methods for profiles




L135




L135PW




L135PZ




L90




L90PW




L90PZ




T135L




T135R



T90



X135



X90