


PRODUCT DESCRIPTION


- Appealing form
- Ability to create a line of light
- Good heat dissipation

Fill empty fields


Product nr.	
Fixture type	
Company	
Job name	
Date	

**TECHNICAL SPECIFICATION**

B3777ANODA_1	Silver anodized	1000 mm
B3777ANODA_2	Silver anodized	2000 mm
B3777ANODA_3	Silver anodized	3000 mm


**RELATED PRODUCTS**

COVERS




Ref: 17036

60°




Ref: 17035

90°




Ref: 1370

50°




Ref: 17122

70°




Ref: 1369

100°



Ref: 17121

100°



Ref: 17037

110°



Ref: 17076

120°



END CAPS



Ref: 00029



Ref: 24213



Ref: 00028



Ref: 1441



Ref: 24059




Ref: 1439

ACCESSORIES



Ref: 42051




Ref: 42216




Ref: 00648




Ref: 42217




Ref: 42116



Ref: 00647




Ref: 42115




Ref: 24190




Ref: 00036



Ref: 42102



Ref: 42218




Ref: 24041




Ref: 00035




Ref: 00645




Ref: 42114




Ref: 42113



Ref: 42101



Ref: 42200




Ref: 00646




Ref: 00655



Ref: 42201




Ref: 42202




Ref: 42209




Ref: 00650




Ref: 24223




Ref: 24189




Ref: 1072




Ref: 1345




Ref: 1397



Ref: 42501



Ref: 42518



Ref: 1528

MARKETING MATERIALS



Ref: 90079M



Ref: 90080M



Ref: 90106M



Ref: 90051