

**PRODUCT DESCRIPTION**


- A movable insert for LEDs enabling four different lighting angles
- Four beam angles: 10, 30, 60 and 90 degrees

Fill empty fields


Product nr.	
Fixture type	
Company	
Job name	
Date	

**TECHNICAL SPECIFICATION**

B468+43ANODA_1	Silver anodized	1000 mm
B468+43ANODA_2	Silver anodized	2000 mm
B468+43ANODA_3	Silver anodized	3000 mm

**RELATED PRODUCTS**


## COVERS



Ref: 17111



Ref: 00220



Ref: 1369

## END CAPS



Ref: 00313



Ref: 00310

## ACCESSORIES



Ref: 00644




Ref: 42216




Ref: 42051



Ref: 42217




Ref: 42116



Ref: 42115




Ref: 24190




Ref: 00647




Ref: 42218




Ref: 42102




Ref: 24041




Ref: 00645



Ref: 00800V1



Ref: 42114



Ref: 42113




Ref: 00649



Ref: 42214




Ref: 42215



Ref: 42101




Ref: 42213



Ref: 42200




Ref: 00646



Ref: 42201




Ref: 00651




Ref: 42202




Ref: 42209




Ref: 24223



Ref: 24189




Ref: 1072



Ref: 1345




Ref: 42258




Ref: 1397




Ref: 42252



Ref: 42501



Ref: 42518



Ref: 1528

## MARKETING MATERIALS



Ref: 90082M



Ref: 90051