






VDO SmartTerminal



Sprievodca rýchlym spustením

www.tamex.sk


VDO









1



2







www.SmartTerminal.vdo.com



VDOSmartTerminalSetup.exe



START





The screenshot displays the VDO TerminalTools application interface. The main window has a title bar with the text "VDO - TerminalTools" and standard window controls. The interface includes a sidebar on the left with navigation options: HOME, DOWNLOADS, TERMINALS, USER, GLOBAL, CARDS, REMINDERS, and PROTOCOL. The main content area features a "Reload" button and four dashboard cards: Downloads (0 downloads today), Terminals (0 of 0 connected), Reminders (0 download reminders), and Protocol (0 protocol messages). The "Terminals" card is highlighted with a red box. Below this, a secondary window titled "TERMINALS" is shown, containing a table with columns for "Device-ID", "Name", "Connection-Mode", "Last Download", and "Configuration Uploaded". The "New Terminal" button in the table header is also highlighted with a red box. A red arrow points from the "New Terminal" button in the secondary window to the "New Terminal" button in the main window's terminal card.



2

New Terminal

Name

Settings

Configure with default settings

Import settings from terminal

Duplicate settings

Connection

Automatic

Device-ID	Mode	Connection	Last seen
B827EB5F04F7	Network	192.168.4.60:8000	10:07:01

Network-Mode

USB-cable (COM)

USB-Key (Offline)



Finish Cancel




1

Name

Automatic

Device-ID	Mode	Connection	Last seen
B827EB5F04F7	Network	192.168.4.60:8000	10:07:01







Systemové požiadavky

Softvér	
Operačný systém	Windows® 7 s najnovšou aktualizáciou Service Pack
	Windows® 8, Windows® 10 s najnovšou aktualizáciou Service Pack
	Windows® Server 2012, 2016, 2019 s najnovšou aktualizáciou Service Pack
Hardvér	
Káblové pripojenie	1x USB port alebo sieťové pripojenie
Procesor	min. 1,5 GHz
	Voľné miesto na pevnom disku cca. 1 GB
	2 GB RAM



Odvolyanie

Výrobcovia a spoločnosť TAMEX, spol. s r.o. nepreberajú žiadnu zodpovednosť za škody vzniknuté v dôsledku používania tohto softvéru. Vylúčené sú najmä zranenia osôb, materiálne škody alebo finančné straty vo forme následných škôd vznikajúcich priamo z používania tohto softvéru.

TAMEX, spol. s r.o.
Stará Vajnorská 3, 831 04
Bratislava, Slovenská republika
Internet www.tamex.sk
E-mail tamex@tamex.sk

VDO – Ochranná známka spoločnosti Continental Corporation

Jedná sa o voľný preklad spoločnosti TAMEX, spol. s r.o.. Spoločnosť TAMEX, spol. s r.o. nepreberá zodpovednosť za vzniknuté zmeny a nesprávne informácie v tejto príručke. Informácie obsiahnuté v tejto dokumentácii sa môžu zmeniť bez predchádzajúceho upozornenia. Spoločnosť Continental Automotive GmbH pritom neprijíma nijaké záväzky. Popis je založený na informáciách dostupných v čase vytlačenia tejto dokumentácie. Vyhradzuje si právo na zmenu technických detailov v popise, informácie a ilustrácie v tejto príručke. Spoločnosť Continental Automotive GmbH nepreberá zodpovednosť za chyby programu a za nesprávne informácie v dokumentácii alebo za následné škody z toho vyplývajúce.
© Continental Automotive GmbH
Všetky práva vyhradené.

The logo consists of the letters 'VDO' in a bold, blue, sans-serif font. The 'V' and 'D' are connected at the top, and the 'O' is a simple circle.